



COAD[®] 10C CALCIUM STEARATE

DESCRIPTION

COAD[®] 10C Calcium Stearate is a high grade calcium stearate developed for the PVC processing industry. It has low chloride content, low specific surface, exhibits excellent heat stability properties for high temperature processing and provides mold release properties critical for thermoplastics and thermoset molding. COAD[®] 10C Calcium Stearate meets the requirements of PPI-TR3 and NSF Standard 14 for potable water.

TYPICAL PROPERTIES

Total Ash, %	10.3
Moisture, %	2.0
Free Fatty Acid, %	0.2
Soluble Salts, %	Nil
Softening Point, C	155
Apparent Density, lbs/ft ³	22
Mean Particle Size, microns	8.5
Top Size %98, microns	28
% thru 325 Mesh	100

Appearance: Free flowing white powder.

COAD[®] 10C CALCIUM STEARATE

APPLICATIONS

- Rigid PVC compounds: COAD[®] 10C Calcium Stearate acts as a dispersing aid during the blending cycle, as a lubricant and processing aid during extrusion and as a mold release agent for injection molding. It also improves stability by neutralizing acidic decomposition products in the polymerization of certain polyolefins.
- Polyester molding compounds: COAD[®] 10C Calcium Stearate is an excellent mold release agent for matched metal die molding under certain conditions.
- Rubber molding compounds: COAD[®] 10C Calcium Stearate acts as an anti-sticking agent for rubber slab where a dry powder is preferred. It is useful for applications with zinc discharge limitations.
- Waterproofing: COAD[®] 10C Calcium Stearate may be employed in concrete and mortar admixtures to impart water repellency and to improve flow and release properties of the dry mix.

STORAGE AND HANDLING RECOMMENDATIONS

- | | |
|-----------------|---|
| Storage | - Store at ambient temperatures away from sources of heat or from places of extreme moisture. |
| Fire | - Use water from a safe distance, preferably with a fog nozzle. |
| Handling | - Avoid contact with skin or eyes. Safety goggles are recommended. |
| Spills | - Clean up immediately. Sweep up and discard in a closed container. |
| Disposal | - Consult Federal, State, and Local regulations. Consult the telephone book or EPA for list of approved disposal companies. |
| Other | - See MSDS for COAD [®] 10C Calcium Stearate for additional health, safety, and environmental information. |

PACKAGING

COAD[®] 10C Calcium Stearate is packaged in 25 lb. and 50 lb. multiwall bags, unitized on non-returnable wooden pallets. Please contact your Norac sales representative to discuss your special packaging requirements.

"The information contained in this bulletin is based on information received of our staff and of others and is presented in good faith and with every belief in its accuracy. Due to the extensive technology involved in its usage, the manufacturer in no way guarantees such information, nor does he make any recommendations as to its use in the infringement of any patent. The information contained in this bulletin supersedes and replaces all information contained in all previous bulletins. Seller makes no warranty of any kind, expressed or implied, except that the goods sold hereunder shall meet specifications of the buyer. After the good sale accepted by the buyer within the time specified the buyer assumes all risk and liability for damages resulting from the use of the goods. Whether used by the buyer alone or in combination with other products, or if sold by buyer to third persons, either in its original form or if repackaged by the buyer and then sold to third persons."

Norac, Inc. • 360 Phillips 311 Road Helena, AR 72342 P: 888.786.6722 • F:870.572.4650 • www.norac.com