



## NORAC

405 S. Motor Ave.  
Azusa, CA 91702  
P: 626.334.2908  
F: 626.334.3512  
[www.norac.com](http://www.norac.com)

Product Bulletin 8/16/2004

### COAD® 30 ZINC STEARATE PRILL

#### DESCRIPTION

COAD® 30 Zinc Stearate Prill was developed especially for the polymer industry with a higher ash content and good heat stability. The prilled particle size and high bulk density enhances flow characteristics and reduces dust.

#### TYPICAL PROPERTIES

Total Ash, % .....	15.3
Moisture, % .....	0.2
Free Fatty Acid, % .....	0.2
Soluble Salts, % .....	Nil
Softening Point, C .....	122
Apparent Density, lbs/ft <sup>3</sup> .....	35
% Thru 20 mesh .....	100
% Thru 200 mesh .....	5

Appearance: Free flowing white micro beads.

#### APPLICATIONS

- Dry blends: COAD® 30 Zinc Stearate Prill reduces caking and improves flow properties while reducing dust. Due to its greater density, higher loadings can be obtained in certain equipment.

## **STORAGE AND HANDLING RECOMMENDATIONS**

- Storage - Store at ambient temperatures away from sources of heat or from places of extreme moisture.
- Fire - Use water from a safe distance, preferably with a fog nozzle.
- Handling - Avoid contact with skin or eyes. Safety goggles are recommended.
- Spills - Clean up immediately. Sweep up and discard in a closed container.
- Disposal - Consult Federal, State, and Local regulations. Consult telephone book or EPA for list of approved disposal companies.
- Other - See MSDS for COAD® 30 Zinc Stearate Prill for additional health, safety, and environmental information.

## **PACKAGING**

COAD® 30 Zinc Stearate Prill is packaged in 25 lb. and 50 lb. multiwall bags, unitized on non-returnable wooden pallets. Please contact your Norac sales representative to discuss your special packaging requirements.