

# SAFETY DATA SHEET

# Norstab<sup>®</sup> 62-R

SECTION 1 - IDENTIFICATION OF THE PRODUCT AND THE COMPANY			
PRODUCT NAME	Norstab <sup>®</sup> 62-R	TELEPHONE	870-572-9061
MANUFACTURER	Norac, Inc.	CHEMTREC (24hr) (USA)	800-424-9300
ADDRESS	360 Phillips 311 Road, Helena, AR 72342	(Maritime/International)	703-527-3887
Recommended uses	stabilizer for plastics		

SECTION 2 - HAZARD IDENTIFICATION		
Hazard classification: None known		
OSHA specified hazards:	WARNING: may form combustible dust concentrations in air	
Warning label items	Signal words: none	
Hazard statements:	Not classified as a hazardous material	
Precautionary statements		
Prevention:	P264: wash hands thoroughly after handling	
	P270: do not eat, drink or smoke when using this product	
Response:	P301+P312: if SWALLOWED: call a POISON CENTER or doctor/physician if you feel	
	unwell.	
	P330: rinse mouth	
Disposal:	P501: dispose of contents/container to an appropriate treatment and disposal facility	
	in accordance with applicable laws and regulations.	

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS				
COMPONENTS CAS NO. %				
Trade secret stabilizer components	Trade secret	100		

SECTION 4 - FIRST-AID MEASURES		
Skin	Remove any contaminated clothing. Wash thoroughly with soap and water. If irritation or adverse symptoms develop seek medical attention.	
Eyes	Remove any contact lenses at once. Flush eyes with running water Ensure adequate flushing by separating the eyelids with fingers. If irritation or adverse symptoms develop seek medical attention.	
Ingestion	Rinse mouth and drink plenty of water. If symptoms persist consult a doctor.	
Inhalation	Remove to fresh air, if coughing, breathing becomes labored, irritation develops or other symptoms develop, seek medical attention at once, even if symptoms develop several hours after the exposure.	
Most important symptoms And effects, acute and delayed	At elevated temperatures vapor may cause irritation of eyes and respiratory tract	
Indication of any immediate medical attention and special treatment needed	None known Treat symptomatically	

NORAC<sup>®</sup>, INC. Revised on: 08 May 2015 Page 1 of 4

## Norstab<sup>®</sup> 62-R

SECTION 5 - FIRE-FIGHTING MEASURES			
FIRE EXTINGUISHER MEDIA Water spray, foam, carbon dioxide or dry chemical.			
SPECIAL FIRE FIGHTING PROCEDURES  Burning will produce carbon dioxide, carbon monoxide and metal oxides. Fir should be equipped with SCBA with a full face piece operated in the positive demand mode with appropriate turnout gear and chemical resistant personal protective equipment.			
UNUSUAL FIRE AND EXPLOSION HAZARDS	Concentrated dust may present an explosion hazard.		

SECTION 6 - ACCIDENTAL RELEASE MEASURES		
STEPS TO BE TAKEN IN EVEN OF SPILL OR RELEASE	Remove all sources of ignition. Wear appropriate personal protective equipment as specified in Section 8. Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sparkling tools and equipment. Reduce airborne dust and prevent scattering by moistening with soapy water. Pick up spill for recovery or disposal and place in a closed container.  Do not release into the environment	
	SECTION 7 - HANDLING AND STORAGE	
HANDLING	Avoid dust formation and control ignition sources. Employ grounding, venting and explosion relief provisions in accord with accepted engineering practices in any process of capable of generating dust and/or static electricity. Empty only into inert or non-flammable atmosphere. Emptying contents into a non-inert atmosphere where flammable vapors may be present could cause a flash fire or explosion due to electrostatic discharge. Do not use near food or drink. Avoid eye contact. Use with adequate ventilation. Wear personal protection equipment recommended in section 8. Reseal containers immediately after use.	
STORAGE	Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Do not store with food or drink.	
OTHER PRECAUTIONS	Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities.	

SECTION 8 - E	SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION		
EXPOSURE LIMITS	OSHA Permissible Exposure Limit (PEL) total dust: 15 mg/m <sup>3</sup> . ACGIH Threshold Limit Value (TLV): 10 mg/m <sup>3</sup> for total dust for stearates. OSHA respirable fraction TWA 5 mg/m <sup>3</sup>		
RESPIRATORY PROTECTION	Work ambient concentrations should be monitored and if airborne concentrations are expected to exceed acceptable levels wear a NIOSH/MSHA approved dust airpurifying respirator. When using respirators refer to OSHA's 29CFR 1910.134.		
VENTILATION	Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below level of overexposure.		
EYE PROTECTION	Safety goggles recommended. Permanent eyewash is highly recommended.		
HAND PROTECTION	Protective gloves recommended.		
OTHER	Emergency showers and eye wash stations should be available.		

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES			
Appearance and odor	Fine white powder with slight fatty odor.		
Odor threshold	Not available	Vapor pressure	Does not apply
pH	Not available	Vapor density	Does not apply
Melting point / freezing point	softens < 130C by DSC	Specific gravity	1.29
Initial boiling point	Not available	Solubility	Insoluble in water
Flash point	>350°F (177°C), C.O.C.	Partition coefficient	Not available
Evaporation rate	<1 (ethyl ether =1)	n-octanol/water	
Flammability	Does not apply	Auto ignition temperature	>700° F (371°C)
Dust deflagration index	Not available	Decomposition temperature	Not available
Minimum explosive concentration	Not available	Viscosity	Does not apply
Maximum explosive concentration	Not available		

NORAC®, INC. Revised on: 08 May 2015 Page 2 of 4

### Norstab<sup>®</sup> 62-R

SECTION 10 - STABILITY AND REACTIVITY			
Reactivity	None known		
Chemical Stability	Stable under ordinary conditions of use and storage.		
Incompatible materials	ncompatible materials Strong oxidants, strong bases, acids, peroxides		
Conditions to avoid	ditions to avoid Material as supplied is not explosive. Avoid suspending dust in the air. Ground all		
equipment to avoid static discharge. Suspended dust may be explosive.			
Hazardous decomposition	azardous decomposition None when stored and handled as instructed.		
products	Carbon dioxide, carbon monoxide and metal oxides if burned.		

SECTION 11 - TOXICOLOGICAL INFORMATION			
Acute toxicity	oxicity Oral: RatLD <sub>50</sub> : >5000 mg/kg.		
Skin corrosion/irritation		Not classified as corrosive or an irritant	
Serious eye damage/irrit	tation	Not classified as corrosive or an irritant	
Respiratory or skin sens	sitization	Not classified as respiratory or skin irritant	
Germ cell mutagenicity		Not classified as a germ cell mutagen	
	This material is not listed in the National Toxicology Program Report on Carcinogens		
This material has not been found to be a carcinogen by the International Agency for Research on Cancer (IARC			
This material has not be	This material has not been found by OSHA to be a carcinogen or potential carcinogen		
Reproductive toxicity Not classified as a reproductive toxin		Not classified as a reproductive toxin	
STOT-single exposure Not classified as a target organ toxin		Not classified as a target organ toxin	
STOT-repeated exposure Not classified as a target organ toxin		Not classified as a target organ toxin	
Aspiration hazard Not classified as an aspiration hazard		Not classified as an aspiration hazard	

SECTION 12 - ECOLOGICAL INFORMATION			
Aquatic toxicity			
LC <sub>50</sub> /96h	Not classified a	s acute >10000 mg/l (Brachydanio rerio) (92/69/EEC C.1) semi-static	
NOEC (static)	No data available on the mixture		
Persistence and degrad	dability No further information available		
Bioaccumulative potent	ential No data available		
Potential movement from groundwater	m soil to	No data available	
Other adverse effects	No further information available		

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

Prevent material from entering drains, sewers, streams, etc.

Immediately dispose of waste material in accordance with federal, state and local regulations.

SECTION 14 - TRANSPORT INFORMATION		
DOT (US) not regulated	NMFC CLASSIFICATION  METALLIC SOAPS OF FATTY ACID ITEM # 45230, CLASS 65	
IATA not regulated		
IMDG		
not regulated		

NORAC®, INC. Revised on: 08 May 2015 Page 3 of 4

### Norstab<sup>®</sup> 62-R

### **SECTION 15 - REGULATORY INFORMATION**

The following chemicals are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

<u>Chemical Name</u>
Metallic soaps of fatty acid, mix
Contains zinc compounds

CAS Number Proprietary Percent <20

**OSHA** none

The ingredients in this product are listed in

**Australian Inventory of Chemical Substances (AICS)** 

Canadian Domestic Substances List (DSL)

Chinese Inventory of Existing Chemical Substances Manufactured or Imported in China (IECSC)

**European Inventory of Existing Commercial Chemical Substances (EINECS)** 

Japanese Exiting and New Chemical Substances (ENCS)

Korean Existing Chemicals List (ECL)

**US Toxic Substances Control Act (TSCA)** 

#### **Status of Carcinogicity**

Not recognized as a carcinogen by the IARC, NTP or OSHA.

#### **SECTION 16 - OTHER INFORMATION**

NFPA 704 Rating			HMIS Rating		
<u>Health</u>	<u>Flammability</u>	Reactivity	<u>Health</u>	<u>Flammability</u>	Reactivity
1	1	0	1	1	0

Norstab 62-R 1505.0	Date of revision 08 May 2015 to create SDS
Prepared by Norac, Inc.	Previous revision none

#### DISCLAIMER OF LIABILITY

The information in this MSDS was obtained from sources, which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness

The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use, or disposal of the product.

This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.